



THE IMPORTANCE OF TISSUE UNSATURATION
IN THE CALCULATION OF SAFER DECOMPRESSION SCHEDULES

A THESIS

SUBMITTED FOR THE DEGREE

of

MASTER OF SCIENCE

of

THE UNIVERSITY OF ADELAIDE, SOUTH AUSTRALIA

by

PETER CHARLES BUNKER, B.E.

1971

CONTENTS

	<u>Page</u>
DECLARATION AND ACKNOWLEDGEMENTS	
INTRODUCTION	
1.0 General Introduction	1
2.0 What is Decompression Sickness?	1
3.0 Review of Aetiology of Decompression Sickness	3
4.0 People Subjected to Changes in Environmental Pressure	6
5.0 Scope of the Study	11
PART 1 : THEORETICAL STUDY OF GAS TRANSFER IN THE BODY	
6.0 General Background	12
7.0 Physiological Background	14
8.0 Mathematical Model of Gas Transfer System	21
9.0 Summary of Theoretical Study	30
PART 2 : EXPERIMENTAL STUDY OF GAS TENSIONS IN SUBCUTANEOUS TISSUE	
10.0 Ways of Determining Tissue Gas Tensions	31
11.0 Review of Gas Pockets	34
12.0 Measurement of Total Gas Tension in Subcutaneous Tissue Using Both the Constant Pressure and Constant Volume Systems	37
13.0 Results of Measurements	46
GENERAL DISCUSSION	51
GENERAL SUMMARY	56
APPENDICES	
1. Relative Diffusion Rates of O ₂ , N ₂ , CO ₂ and H ₂ O Through Silicone Rubber Tubing	
2. Design of Pressure Transducer for Constant Volume System	
3. Temperature Corrections for Measured Values of Tissue Gas Tensions	
4. Results	
BIBLIOGRAPHY	

This thesis contains no material which has been accepted for the award of any other degree or diploma in any University and to the best of the author's knowledge and belief the thesis contains no material previously published or written by another person except where due reference is made in the text of the thesis.

Signed

DECLARATION AND ACKNOWLEDGEMENTS

I declare that this thesis is of my own composition and that it is a record of the original work conducted during the years 1970 and 1971 in the Department of Human Physiology and Pharmacology, University of Adelaide. The work described herein has not been submitted for any other degree award or diploma.

I wish to record my gratitude to the Committee of Management of the Aeromedical Research Laboratory (AMRL) for facilities offered and support received while working on this thesis. In particular I would like to thank Dr. D.H. Le Messurier, Officer-in-Charge of the Aeromedical Research Laboratory under whose guidance this work was carried out, for all the assistance he has given, his enthusiastic support of the projects undertaken and his valuable criticisms.

I should like to acknowledge the help of Mr. Svilans in providing useful and practical extensions to the basic programme outlined in this thesis and the surgeon, Mr. A.H. Slavotinek, for implanting the silicone tubing in my arm and the subsequent medical care received.

Furthermore, I wish to thank Mr. W.R. Wood for his advice and assistance particularly with the low pressure work and Mrs. L. Yeatman & Miss C. Hedges for their invaluable help in conducting the often tedious experiments and in the preparation of this manuscript.