BIBLIOGRAPHY

- 1. Abdollahi M and Radfar M 2002. A review of drug-induced oral interactions. The Journal of Contemporary Dental Practice 4(1): 10–31.
- Andersson-Norinder J and Sjögreen L 2000. Orofacial dysfunction. In: Nunn J (Editor). Disability and oral care. FDI World Dental Press Ltd.: London.
- Andresen EM, Vahle VJ and Lollar D 2001. Proxy reliability: health related quality of life (HRQol) measures for people with disability. Quality of Life Research 10: 609–19.
- 4. Australian Bureau of Statistics (ABS) 1999. Disability, Ageing and Carers: summary of findings Australia, 1998. Cat No. 4430.0. Canberra: ABS.
- 5. Australian Bureau of Statistics (ABS) 2004. Disability, Ageing and Carers, Australia: summary of findings, 2003. Cat No 4430.0. Canberra: ABS.
- 6. Australian Institute of Health and Welfare (AIHW) 2003a. Disability prevalence and trends. Disability Series. AIHW Cat. No. DIS 34. Canberra: AIHW.
- Australian Institute of Health and Welfare (AIHW) 2003b. Australia's Welfare 2003. Canberra: AIHW.
- Australian Institute of Health and Welfare (AIHW) 2004. Carers in Australia: Assisting frail older people and people with a disability. Canberra: AIHW Cat. No. AGE 41. Canberra: AIHW (Aged Care Series).
- Australian Institute of Health and Welfare (AIHW) 2006. Disability support services 2004–5: National data on services provided under the Commonwealth/State Disability Agreement. Canberra: Australian Institute of Health and Welfare (AIHW).
- 10. Barnett J 1991. A reassessment of oral health care. Professional Nurse 6 (12): 703-8.
- 11. Bedi R, Champion J and Horn R 2000. Development of an attitudinal scale for dental personnel in the provision of care for people with learning disabilities. Journal of disability and oral health 1: 26–30.
- 12. Bergstrom J, Eliasson S and Dock J 2000. A 10-year prospective study of tobacco smoking and periodontal health. Journal of Periodontology 71 (8): 1338–47.
- Bersani HA, Jr. and Heifetz TZ 1985. Perceived stress and satisfaction of direct-care staff members in community residences for mentally retarded adults. American Journal of Mental Deficiency 85: 219–28.
- 14. Biersdorff KK 1994. Incidence of significantly altered pain experience among individuals with developmental disabilities. American Journal of Mental Retardation 98 (5): 619–31.
- 15. Bishop KK, Woll J and Arango P 1993. Family/Professional Collaboration for Children with special health care needs. Burlington, VT: University of Vermont.

- Bratthall D and Petersson GH 2005. Cariogram a multifactorial risk assessment model for a multifactorial disease. Community Dentistry and Oral Epidemiology 33 (4): 256– 264.
- Burgeouis D, Leclercq and Barmes D 1992. Evaluation of World Health Organisation pathfinder methodology for oral health surveys in industrialised countries. Community Dental Health 9: 381–384.
- Burtner AP and Dicks JL 1994. Providing oral health to individuals with severe disabilities residing in the community: Alternative care delivery systems. Special Care in Dentistry 14(5): 188–93.
- Burtner AP, Low DW, McNeal DR, Hassell TM and Smith RG 1991. Effects of chlorhexidine spray on plaque and gingival health in institutionalized persons with mental retardation. Special Care in Dentistry 11: 97–100.
- 20. CAA (Carers Association of Australia) 2000. Results of the 1999 national survey of carer health and wellbeing. Canberra: CAA and Department of Health and Aged Care.
- 21. Centrelink –

http://www.centrelink.gov.au/internet/internet.nsf/payments/pay_how_dsp.htm. Accessed 14.03.07.

- 22. Chapman A 1998. Disability Chartbook of South Australia. Disability Services Office. South Australia.
- 23. Committee on handicaps, Group for the advancement of psychiatry (CHGAP) 1993.
 Caring for people with physical impairment The journey back. Report No. 135.
 American Psychiatric Press, Inc. Washington.
- 24. Community Housing Council of SA (CHCSA) 2007. www.chcsa.org.au/ch_profile.htm. Accessed 13.06.07.
- 25. Consultation report 2003 Last Updated: Wednesday 22 October 2003. http://www.disability.qld.gov.au/community_involv/consultation_report/consultation_sum mary_definition.cfm. Accessed 29.03.07.
- Corbin SB, Wagner M 2003. Oral health status and needs of athletes participating in Special Olympics, 2000–2002. Paper presented at the International Symposium: Supporting Families. Belfast, Northern Ireland, June 19–20.
- 27. Crack DJ, McDougall WA and Spencer AJ 1980. Dental needs of the handicapped and homebound in the Melbourne Statistical Division. The Royal Dental Hospital of Melbourne.

- 28. Cumella S, Ransford N, Lyons J and Burnham H 2000. Needs for oral care among people with intellectual disability not in contact with community dental services. Journal of Intellectual Disability Research 44 (1): 45–52.
- 29. Curtis JR 1998. The "patient centred" outcomes of critical care: What are they and how should they be used? New Horizons 6: 26–32.
- 30. Cusick CP, Brooks CA, Whiteneck GG 2001. The use of proxies in community integration research, Arch Phys Medical Rehabilitation 82: 1018–24.
- 31. Disability SA Information sheet 2006. http://www.idsc.sa.gov.au/publications/data/pdfs/IS-About-Intellectual-Disability.pdf Last updated Aug 2006. Accessed 02.06.07.
- 32. Duncan PW, Lai SM, Tyler D, Perera S, Reker DM, Studenski S 2002. Evaluation of proxy responses to the Stroke Impact Scale. Stroke 33: 2593–9.
- 33. Edwards DM and Merry AJ 2002. Disability. Part 2. Access to dental services for the disabled people. A questionnaire survey of dental practices in Merseyside. British Dental Journal 193: 253–255.
- 34. Epstein AM, Hall JA, Tognetti J, et al. 1989. Using proxies to evaluate quality of life. Can they provide valid information about patients' health status and satisfaction with medical care? Medical Care 27 (Suppl 3): S91–S98.
- 35. Families, Community Services and Indigenous Affairs (FaCSIA) 2007. http://www.facsia.gov.au/internet/facsinternet.nsf/aboutfacs/budget/budget2007budget2007.htm. Last modified on: 07.08.2007. Accessed 31.08.07.
- 36. Faulks D and Hennequin M. 2000. Evaluation of a long-term oral health program by carers of children and adults with intellectual disabilities. Special Care in Dentistry 20 (5): 199–208.
- 37. Feldman CA, Giniger M, Sanders M, Saporito R, Zohn HK and Perlman SP 1997. Special Olympics, special smiles: assessing the feasibility of epidemiologic data collection. Journal of the American Dental Association 128: 1687–1696.
- 38. Francis JR, Stevenson, DR and Palmer JD 1991. Dental health and dental care requirements for young handicapped adults in Wessex. Community Dental Health 8: 131–7.
- 39. Freedman RI and Chassler D 2004. Physical and behavioural health of adults with mental retardation across residential settings. Public Health Reports 119 (4): 401–408.
- 40. Frenkel HF, Harvey I and Needs KM 2002. Oral health care education and its effect on cargivers' knowledge and attitudes: a randomised clinical trial. Community Dentistry and Oral Epidemiology 30: 91–100.

- 41. Fung K and Allison P 2005. Comparison of caries rates in non-institutionalised individuals with and without Down syndrome. Special Care in Dentistry 25 (6): 302–310.
- 42. Gabre P and Gahnberg L 1994. Dental health status of mentally retarded adults with various living arrangements. Special Care in Dentistry 14 (5): 203–207.
- 43. Gabre P, Martinsson T and Gahnberg L 2001. Longitudinal study of dental caries, tooth mortality and interproximal bone loss in adults with intellectual disability. European Journal of Oral Sciences 109 (1): 20–26.
- 44. Gift HC and Atchinson KA 1995. Oral health, health, and health related quality of life. Medical Care 33: NS57–77.
- 45. Gift HC and Redford M 1992. Oral health and the quality of life. Clinics in Geriatric Medicine 8: 673–683.
- 46. Glassman P and Miller CE 2003. Dental disease prevention and people with special needs Journal of California Dental Association 31 (2): 149–153.
- 47. Glassman P, Miller C, Wozniak T and Jones C 1994. A preventive dentistry training program for caretakers of persons with disabilities residing in community residential facilities. Special Care in Dentistry 14: 137–43.
- 48. Glassman P, Miller CE and Lechowick J 1996. A dental school's role in developing a rural, community-based, dental care delivery system for individuals with developmental disabilities. Special Care in Dentistry 16 (5): 188–93.
- 49. Gordon SM, Dionne RA and Snyder J 1998. Dental fear and anxiety as a barrier to accessing oral health care among patients with special health care needs. Special Care in Dentistry 18(2): 88–92.
- 50. Guisiano B, Jimeno MT, Collignon P et al. 1995. Utilisation of a neural network in the elaboration of an evaluation scale for pain in cerebral palsy. Methods of information in medicine 34: 498–502.
- 51. Gurling FG, Fanning, EA and Leppard, PI 1979. The dental care of handicapped children in South Australia. Australian Dental Journal 24(3): 178–181.
- Hadley, J. 2000. Better health care decisions: Fulfilling the promise of Health Services Research. 1999 AHSR Presidential Address. Health Services Research 35:175–86.
- 53. Hélène Ouellette-Kuntz 2005. Understanding health disparities and inequities faced by individuals with intellectual disabilities. Journal of Applied Research in Intellectual Disabilities 18 (2): 113–121.

- 54. Hennequin M, Counil S and Feine J 1998. Localisation of stimuli and pain latency in Down syndrome individuals. Journal of Dental Research 77 Special Issue B, Abstract 1568.
- 55. Hennequin M, Faulks D and Rouxb D 2000. Accuracy of estimation of dental treatment need in special care patients. Journal of Dentistry 28(2): 131–136.
- 56. Hinchliffe JE, Fairpo CG and Curzon ME 1988. The dental condition of mentally handicapped adults attending adult training centres in Hull. Community Dental Health 5:151–162.
- 57. Holland TS and O'Mullane DM 1990. The organisation of dental care for groups of mentally handicapped persons. Community Dental Health 7: 285–293.
- 58. Järvinen VK, Rytömaa II and Heinonen OP 1991. Risk factors in dental erosion. Journal of Dental Research 70(6): 942–7.
- 59. Károlyházy K, Kovács E, Kivovics P, Fejérdy P and Arányi Z. 2003. Dental status and oral health of patients with epilepsy: an epidemiologic study. Epilepsia 44(8): 1103–8.
- 60. Kendal NP 1991. Oral health of a group of non-institutionalised mentally handicapped adults in the UK. Community Dentistry and Oral Epidemiology (19): 357–9.
- 61. Kendal NP 1992. Differences in dental health observed within a group of non-institutionalised mentally handicapped adults attending day centres. Community Dental Health (9): 31–38.
- 62. King P 2005. Special needs, special approaches Dental Practice January/February 174.
- 63. König KG 2000. Diet and oral health. International Dental Journal Vol. 50(3): 162–174.
- 64. Lakin KC 1988. Strategies for promoting the stability of direct care staff. In: Janicki MP, Krauss MW and Seltzer MM (Editors). Community residences for persons with developmental disabilities; pp. 231–38: Brookes: Baltimore.
- 65. Locker D 1988. Measuring oral health: a conceptual framework. Community Dental Health 5: 3–18.
- 66. Loe H 2000. Oral hygiene in the prevention of caries and periodontal disease. International Dental Journal 50: 129–139.
- 67. Longhurst RH 1998. A cross-sectional study of the oral health care instruction given to nurses during their basic training. British Dental Journal 184: 543–7.
- 68. Maestre C 1996. The use of general anaesthesia for tooth extraction in young handicapped adults in France. British Dental Journal 180: 297–302.
- 69. Magaziner J, Simonsick EM, Kashner TM, et al. 1988. Patient proxy response comparability on measures of patient health and functional status. Journal of Clinical Epidemiology 41(11): 1065–1074.

- 70. Marshall RI and Bartold PM 1998. Medication induced gingival overgrowth. Oral Disease4: 130–151.
- 71. Mitchell L, Murray JJ and Ryder W 1985. Management of the handicapped and the anxious child: a retrospective study of dental treatment carried out under general anaesthesia. Journal of Paediatric Dentistry 1 (1): 9–14.
- 72. National Advisory Committee on Oral Health (NACOH) 2004. Healthy mouth, healthy lives. Australia's National Oral Plan, 2004–2013. Canberra: Australian Health minister's conference 2004.
- 73. Nelson LM, Longstreth WTJ, Koepsell TD, et al. 1990. Proxy respondents in epidemiologic research. Epidemiologic Reviews 12: 71–86.
- 74. Nicolaci ANB and Tesni DA 1982. Improvement in the oral hygiene of institutionalised mentally retarded individuals through training of direct care staff: a longitudinal study. Special Care in Dentistry 2(5): 217–221.
- 75. Oilo G, Hatle G, Gad AL and Dahl BL 1990. Wear of teeth in a mentally retarded population. Journal of Oral Rehabilitation 17(2): 173–7.
- 76. Oliver CH and Nunn JH 1996. The accessibility of dental treatment to adults with physical disabilities in northeast England. Special Care in Dentistry 16 (5): 204–9.
- 77. Pearson PH 1983. The interdisciplinary team process or the professionals' Tower of Babel. Developmental Medicine and Child Neurology 25 (3): 390–5.
- 78. Perlman S, Friedman C and Tesini D 1991. Prevention and treatment considerations for people with special needs. Skillman, NJ, Johnson and Johnson Inc.
- Perry J and Felce D 2002. Subjective and objective quality of life assessment: responsiveness, response bias, and resident: proxy concordance. Mental Retardation 40: 445–456.
- 80. Pieper K, Dirks B and Kessler P 1986. Caries, oral hygiene and periodontal disease in handicapped adults. Community Dentistry and Oral Epidemiology 14(1): 28–30.
- 81. Poh-Fitzpatrick MB 2006. Erythropoietic photoporphyria. www.emedicne.com/derm/topic 473.htm. Accessed 02.06.07.
- 82. Poul Erik Petersen 2003. The World Oral Health Report 2003: continuous improvement of oral health in the 21st century – the approach of the WHO Global Oral Health Programme. Community Dentistry and Oral Epidemiology 31 (s1): 3–24.
- 83. Pratelli P and Gelbier S 1998. Dental services for adults with a learning disability: care managers' experiences and opinions. Community Dental Health 15: 281–85.
- 84. Ramfjord S P 1967. The Periodontal Disease Index. Journal of Periodontology 38: 602–610.

- 85. Richard Geddie Watt 2007. From victim blaming to upstream action: tackling the social determinants of oral health inequalities. Community Dentistry and Oral Epidemiology 35 (1): 1–11
- 86. Rimmer JH, Braddock D and Marks B 1995. Health characteristics and behaviours of adults with mental retardation residing in three living arrangements. Research in Developmental Disabilities 16: 489–499.
- 87. Ritoli E, Katz RV and Stokes E 1990. Oral hygiene versus other body care services: A comparison of nurse's aides beliefs and attitudes (abstract). Journal of Dental Research 69 (Special Issue): 331.
- 88. Roberts-Thomson KF and Do L 2007. Oral health status. In Slade GD, Spencer AJ, Roberts-Thomson KF (Editors). Australia's Dental Generations: The National Survey of Adult Oral Health 2004–2006 AIHW Cat. No. DEN 165. Canberra: Australian Institute of Health and Welfare (Dental Statistics and Research Series No. 34). 81–142.
- 89. Rothman ML, Hedrick SC, Bulcroft KA, et al. 1991. The validity of proxy-generated scores as measures of patient health status. Medical Care 29(2): 115–124.
- 90. Sanders AE, Spencer AJ, Slade GD 2006. Evaluating the role of dental behaviour in oral health inequalities. Community Dentistry and Oral Epidemiology 34: 71–79.
- 91. Scannapieco FA 2006. Pneumonia in non-ambulatory patients: The role of oral bacteria and oral hygiene. Journal of the American Dental Association 137: 21S–25S.
- 92. Scott A, March L and Stokes ML 1998. A survey of oral health in a population of adults with developmental disabilities: comparison with a national oral health survey of the general population. Australian Dental Journal 434 (4): 257–61.
- 93. Scully and Bagan 2004. Adverse drug reactions in the oro-facial region. Critical Reviews in Oral Biology and Medicine 15 (4): 221–239.
- 94. Shaw MJ, Shaw L and Foster TD 1990. The oral health in different groups of adults with mental handicaps attending Birmingham (UK) adult training centres. Community Dental Health 7: 135–41.
- 95. Shaw MJ and Shaw L 1991. The effectiveness of differing dental health education programs in improving the oral hygiene of adults with mental handicap attending Birmingham adult training centres. Community Dental Health 8: 139–145.
- 96. Slade GD, Spencer AJ, Roberts-Thomson KF (Editors) 2007. Australia's dental generations: The National Survey of Adult Oral Health 2004–2006 AIHW Cat. No. DEN 165. Canberra: Australian Institute of Health and Welfare (Dental statistics and Research Series No. 34).

- 97. Smith BGN and Knight J K. 1984. An index for measuring the wear of teeth. British Dental Journal 156: 435–438.
- Smith RG and Burtner AP 1994. Oral side-effects of the most frequently prescribed drugs.
 Special Care in Dentistry 14(3): 96–102.
- 99. South Australian Generational Health Review 2002. Consultation Summary. South Australia.
- 100. Stiefel DJ 2002. Dental care considerations for disabled adults. Special Care in Dentistry 22 (3): 26S–39S.
- 101. Stiefel DJ, Rolla R and Truelove EL 1984. Effectiveness of various preventive methodologies for use with disabled persons. Clinical Preventive Dentistry 6: 17.
- 102. Stiefel DJ, Shaffer M and Bigelow C 1981. Dentists' availability to treat the disabled patient. Special Care in Dentistry 1: 244–49.
- 103. Stiefel DJ, Truelove EL and Jolly DE 1987. The preparedness of dental professionals to treat persons with disabling conditions in long term care facility and community settings. Special Care in Dentistry 7: 108–13.
- 104. Stiefel DJ, Truelove EL, Chin MM, Mandel LS 1992. Efficacy of chlorhexidine swabbing in oral health care for people with severe disabilities. Special Care in Dentistry 12: 57–62.
- 105. Taylor A, Grande ED, Cooper J. Wilson, D and Manser 1998. The South Australian Survey of Disability Prevalence November-February 1997: conducted for the Disability Service Office, SA Health Commission.
- 106. Tesini DA 1980. Age, degree of mental retardation, institutionalisation, and socioeconomic status as determinants in the oral hygiene of mentally retarded individuals. Community Dentistry and Oral Epidemiology 8: 355–9.
- 107. Thomson WM 1997. A medication capture and analysis system for use in epidemiology. Drugs and ageing 10: 290–98.
- 108. Thornton JB, Al-zahid S, Campbell VA, Marchetti A and Bradley EL 1989. Oral hygiene levels and periodontal disease prevalence among residence with mental retardation at various residential settings. Special Care in Dentistry 9 (6): 186–90.
- 109. Tiller S, Wilson KI and Gallagher JE 2001. Oral health status and dental service use of adults with learning disabilities living in residential institutions and in the community. Community Dental Health 18(3): 167–71.
- 110. Tsai WC, Kung PT, Chiang HH and Chang WC 2007. Changes and factors associated with dentists' willingness to treat patients with severe disabilities Health Policy. 2007 Apr 6; [Epub ahead of print].

- 111. US Department of Health and Human Services 2000. http://www.healthypeople.gov Accessed 23.06.07.
- 112. Wardh I, Andersson L and Sorensen S 1997. Staff attitudes to oral health care. A comparative study of registered nurses, nursing assistants and home care aides. Gerodontology 14(1): 28–32.
- 113. Weaver JM 1995. Special considerations concerning general anaesthesia for dental treatment of handicapped patients. Anaesthesia Progress 42 (3–4): 93–94.
- 114. Weeks JC and Fiske J 1994. Oral care of people with disability: a qualitative exploration of the views of nursing staff. The Gerodontology Association 11 (1): 13–17.
- 115. Wen X 1997. The definition and prevalence of intellectual disability in Australia.Canberra: Australian Institute of Health and Welfare.
- 116. Wen X and Fortune N 1999. The definition and prevalence of physical disability in Australia. Canberra: Australian Institute of Health and Welfare.
- 117. WHO 1980. International classification of impairments, disability and handicaps. World Health Organisation: Geneva.
- 118. WHO 1997. Oral health surveys. Basic methods. 4th edition. World Health Organisation: Geneva.
- 119. Wilson KI 1992. Treatment accessibility for physically and mentally handicapped people a review of the literature. Community Dental Health 9: 187–92.
- 120. Wolfensberger W 1983. Social role volarization: A proposed new term for the principle of normalisation. Mental retardation 21: 234–239.
- 121. Zhu HW, McGrath C, McMillan S, Li LSW 2008. Can caregivers be used in assessing oral health-related quality of life among patients hospitalized for acute medical conditions? Community Dentistry and Oral Epidemiology 36: 72–33.